ATTY. DOCKET NO. 2880/351 INFORMATION DISCLOSURE APPLICANT Törmälä, et al. FILING DATE November 20, 2001 ATTY. DOCKET NO. 2880/351 SERIAL NO. 09/988,777 APPLICANT Törmälä, et al.

U. S. PATENT DOCUMENTS EXAMINER INITIAL PATENT NUMBER PATENT DATE SUBCLASS FILING DATE* NAME Törmälä et al. 4,743,257 May 10, 1988 4,968,317 November 6, 1990 Törmälä et al. 5,084,051 January 28, 1992 Törmälä et al. 6,007,580 December 28, 1999 Lehto et al. 6,017,366 January 25, 2000 Berman 6,113,640 September 5, 2000 Törmälä et al.

FOREIGN PATENT DOCUMENTS

						TRANSLATION	
EXAMINER INITIAL	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	YES	NO
	0 423 155 B1	April 24, 1991	EP				
	0 623 005 B1	November 9, 1994	EP				

OTHER DOCUMENTS

EXAMINER INITIAL	AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.
	Kellomäki, M., et al. "In vivo degradation of composite membrane of P(e-CL/L-LA) 50/50 film and PLDLA 96/4 mesh", Materials for Medical Engineering, Vol. 2, pp. 1-6, 2000
	Vainionpää, S., et al. "Surgical Applications of Biodegradable Polymers in Human Tissues", <u>Prog. Polym. Sci.</u> , Vol. 14, pp. 679-716, 1989
1	r_c
	37.
	P.F.
	2 7 2

EXAMINER DATE CONSIDERED DATE

EXAMINER: Initial if citation considered, whether or not citation is in conformance with M.P.E.P. 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

NY01 492270 v 1